


## OCULUS

pendant light, pendant length 250cm, 2000-3000K, 100°, dim-to-warm, PHASE, dark copper

With a high colour rendering index (CRI>90) and the option of dim-to-warm dimming for an especially warm light, every member of the OCULUS family can conjure up a unique lighting mood. The special lens optics provide a sharply contoured lighting effect, making this light perfect for accent lighting in sophisticated homes, medical practices, law firms, cafés, hotels and restaurants. By using the included frosted shade, the light can also be adjusted to provide diffuse light distribution rather than sharply contoured lighting. In addition to the classic black and white versions, all OCULUS lights are also available in three other elegant colours. The high-quality PVD coating ensures outstanding surface properties.



## TECHNICAL DATA

Item no.	1008617
IP Code	IP20
Impact resistance class	IK 02
Impact resistance	0.2 Joule
Assembly	Surface
Dimmable	Yes
Dimming technology	trailing edge
Primary nominal voltage	220-240V ~50/60 Hz
Secondary power / voltage	250 mA
Safety class	II
Wattage	11 W
Minimum ambient temperature	-20 °C
Maximum ambient temperature	50 °C
Level of inrush current	12.4 A
Duration of inrush current	7.2 µs
Lumen	36-780 lm
Colour temperature	2000-3000 Kelvin
Color	dark copper
CRI	90
Service life	40000 h
Risk Group	1
Height	9 cm

Diameter	9 cm
Pendant length	250 cm
Net weight	0.65 kg
Gross weight	0.78 kg

## Accessories

1006377	FITU , Surface-mounted ceiling rose gold
1004675	FITU , built in rose white
1004676	FITU , built in rose chrome
145990	PENDANT ADAPTER , for 240V 3-phase track, black, incl. installation accessories
143120	PENDANT ADAPTER , for 1-phase high-voltage surface-mounted track, black, incl. strain relief and threaded piece
1002163	FITU single canopy , soft gold
1002164	FITU triple canopy , soft gold
1004745	FITU , ceiling rose white
1001542	PENDANT ADAPTER , for 240V 3-circuit track, traffic white, incl. installation accessories
145994	PENDANT ADAPTER , for 240V 3-phase track, grey, incl. installation accessories
132600	CEILING PLATE FITU , single ceiling plate, round, black, incl. strain-relief
132610	CEILING PLATE FITU , triple ceiling plate, round, black, incl. strain-relief
1004744	FITU , ceiling rose black
132601	CEILING PLATE FITU , single ceiling plate, round, white, incl. strain-relief

1004682	FITU CRANE BASE , black
132605	CEILING PLATE FITU , single ceiling plate, round, chrome, incl. strain-relief
143121	PENDANT ADAPTER , for 1-phase high-voltage surface-mounted track, white, incl. strain relief and threaded piece
1004674	FITU , built in rose black
132611	CEILING PLATE FITU , triple ceiling plate, round, white, incl. strain-relief
143124	PENDANT ADAPTER , for 1-phase high-voltage surface-mounted track, silver-grey, incl. strain relief and threaded piece