## NUMINOS® GIMBLE L

## white recessed ceiling light, 2700K $20^\circ$

The NUMINOS light system from SLV combines technology, design and functionality like no other. With different downlights and spotlights, you provide a thousand lighting design possibilities. This also includes NUMINOS® GIM-BLE L, which impresses as a recessed ceiling light with the best workmanship and lighting quality. Ideal for discreet, modern and space-saving lighting that directs the accent to objects or the room. Installation is then done in no time at all. When will you choose SLV's modular variety?

## **TECHNICAL DATA**

Item no.:	1005985
Number of different light outlets	1
Secondary power / secondary volta- ge	700mA
Height	11.5 cm
Diameter	16.0 cm
Installation diameter	14.5 cm
Installation depth	11.5 cm
Net weight	0.6 kg
Gross weight	0.642 kg
Safety class	111
Assembly	Recessed
Assembly details	Ceiling
Lumen	2250 lm
Colour temperature	2700 Kelvin
Beam angle	20 °
Color	white
CRI	90
UGR≤	22



## Accessories

1004062 LED driver , 21-29.5W 500/600/700m/   1004065 LED driver , 30W 700mA
1004065 LED driver , 30W 700mA
1004070 LED driver , 40W 700mA
1004794 NUMINOS® L , diffuser Ellipse
1004795 NUMINOS® L , diffuser Prisma
1004796 NUMINOS® L , diffuser Frosted
1004797 NUMINOS® L , diffuser Wabe

Notes